

New Construction Energy Code Compliance Certificate

Per R401.3 Certificate. A building certificate shall be posted on or in the electrical distribution panel.

Date Certificate Posted



Mailing Address of the Dwelling or Dwelling Unit	City
Name of Residential Contractor	MN License Number

THERMAL ENVELOPE								RADON CONTROL SYSTEM	
Insulation Location	Total R-Value of all Types of Insulation	Type: Check All That Apply						Passive (No Fan)	
		Non or Not Applicable	Fiberglass, Blown	Fiberglass, Batts	Foam, Closed Cell	Foam Open Cell	Mineral Fiberboard	Rigid, Extruded Polystyrene	Rigid, Isocynurate
Below Entire Slab									Location (or future location) of Fan:
Foundation Wall									Other Please Describe Here
Perimeter of Slab on Grade									
Rim Joist (1st Floor)									
Rim Joist (2nd Floor+)									
Wall									
Ceiling, flat									
Ceiling, vaulted									
Bay Windows or cantilevered areas									
Floors over unconditioned area									
Describe other insulated areas									

Building envelope air tightness:	Duct system air tightness:
Windows & Doors	Heating or Cooling Ducts Outside Conditioned Spaces
Average U-Factor (excludes skylights and one door) U:	Not applicable, all ducts located in conditioned space
Solar Heat Gain Coefficient (SHGC):	R-value

MECHANICAL SYSTEMS						Make-up Air <i>Select a Type</i>	
Appliances	Heating System		Domestic Water Heater	Cooling System			
Fuel Type						Not required per mech. code	
Manufacturer						Passive	
Model						Powered	
Rating or Size	Input in BTUS:		Capacity in Gallons:		Output in Tons:	Interlocked with exhaust device. Describe:	
Efficiency	AFUE or HSPF%				SEER /EER	Other, describe:	
Residential Load Calculati	Heating Loss		Heating Gain		Cooling Load		Location of duct or system:
							Cfm's
						" round duct OR	
						" metal duct	

MECHANICAL VENTILATION SYSTEM						Combustion Air <i>Select a Type</i>	
Describe any additional or combined heating or cooling systems if installed: (e.g. two furnaces or air source heat pump with gas back-up furnace):						Not required per mech. code	
Select Type						Passive	
	Heat Recover Ventilator (HRV) Capacity in cfm's:	Low:		High:		Other, describe:	
	Energy Recover Ventilator (ERV) Capacity in cfm's:	Low:		High:		Location of duct or system:	
	Balanced Ventilation capacity in cfm's:					Cfm's	
Location of fan(s), describe:						" round duct OR	
Capacity continuous ventilation rate in cfm's:						" metal duct	
Total ventilation (intermittent + continuous) rate in cfm's:							