

EGRESS WINDOW SIZING CHART

MINIMUM DIMENSIONS: 5.7 square feet (820.8 square inches)

OR

5 square feet (720 square inches) at grade level

		WIDTH															
(inches)		20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
H	24	480	504	528	552	576	600	624	648	672	696	720	744	768	792	816	840
E	25	500	525	550	575	600	625	650	675	700	725	750	775	800	825	850	875
I	26	520	546	572	598	624	650	676	702	728	754	780	806	832	858	884	910
G	27	540	567	594	621	648	675	702	729	756	783	810	837	864	891	918	945
H	28	560	588	616	644	672	700	728	756	784	812	840	868	896	924	952	980
T	29	580	609	638	667	696	725	754	783	812	841	870	899	928	957	986	1015
	30	600	630	660	690	720	750	780	810	840	870	900	930	960	990	1020	1050
	31	620	651	682	713	744	775	806	837	868	899	930	961	992	1023	1054	1085
	32	640	672	704	736	768	800	832	864	896	928	960	992	1024	1056	1088	1120
	33	660	693	726	759	792	825	858	891	924	957	990	1023	1056	1089	1122	1155
	34	680	714	748	782	816	850	884	918	952	986	1020	1054	1088	1122	1156	1190
	35	700	735	770	805	840	875	910	945	980	1015	1050	1085	1120	1155	1190	1225
	36	720	756	792	828	864	900	936	972	1008	1044	1080	1116	1152	1188	1224	1260
	37	740	777	814	851	888	925	962	999	1036	1073	1110	1147	1184	1221	1258	1295
	38	760	798	836	874	912	950	988	1026	1064	1102	1140	1178	1216	1254	1292	1330
	39	780	819	858	897	936	975	1014	1053	1092	1131	1170	1209	1248	1287	1326	1365
	40	800	840	880	920	960	1000	1040	1080	1120	1160	1200	1240	1280	1320	1360	1400
	41	820	861	902	943	984	1025	1066	1107	1148	1189	1230	1271	1312	1353	1394	1435
	42	840	882	924	966	1008	1050	1092	1134	1176	1218	1260	1302	1344	1386	1428	1470

Note:

Egress window minimum net clear openings are: 5.7 total square feet (820.8 square inches) or 5 square feet (720 square inches) at grade level). All egress windows require a minimum 24-inch height, 20-inch width and maximum sill height of 44-inches above floor.

Exception: Replacement Windows, when the window is not smaller in size with the same operating style and provides equal or greater opening of the existing window.

Grade level = sill height not more than 44" above or below ground level next to opening.



Accuracy – Efficiency – Uniformity